

5. The contractor will comply with all requirements of the laws and implementing regulations of the Commonwealth of Pennsylvania and the United States relating to human relations, equal opportunity and non-discrimination in employment, and will pay to workmen employed in the performance of the contract the wages to which they may be entitled.

6. The contractor will provide the municipality with a performance bond, conditioned upon the faithful performance of the contractor in accordance with the plans, specifications and conditions thereof, and a payment bond conditioned on the prompt payment of all material furnished and labor supplied or performed in the prosecution of the work, in accordance with the Public Work's Contractors' Bond Law of 1967; and an affidavit accepting the provisions of the Workmen's Compensation Act of 1915, as amended.

7. "The parties agree that the relationship between the Contractor and the Township is one of independent contractor and not the employer/employee and that the individual employees of the Contractor who will be performing the work pursuant to this contract are not employees of the Township. Contractor hereby certifies, represents and warrants to the Township that all persons performing any aspect of the work pursuant to this Contract who are required to have commercial driver's license are subject to a program for drug and alcohol testing in accordance with the Omnibus Transportation Employee Testing Act of 1991 and the federal regulations adopted pursuant thereto."

Contractor

WITNESSED OR ATTESTED BY:

BY: _____
Title Date

Title Date

TO BE EXECUTED ONLY IN THE EVENT THE ABOVE PROPOSAL IS ACCEPTED

ACCEPTED ON: _____
Date

Municipality


ATTESTED BY:

Title

BY: _____
Title

Title

Title



ATTACHMENT # 1

LOCATION OF WORK:

Sayre Borough, Bradford County, PA

Base Bid

STREET / ROAD NAME	L	W	D	TYPE OF WORK	UNITS	QUANTITY
<u>North Wilbur Avenue</u> From: Lockhart St. To: 75' North (distance)	75'	36'	5.5"	Milling of Bituminous Surface	SY	300
	75'	36'	4"	25.0 mm Bituminous Base	Ton	72
	75'	36'	1.5"	9.5 mm wearing course	Ton	27
<u>West Lockhart Street – West Bound Lane</u> From: Wilbur Ave To: Hopkins St.	1,647'	17.5'	5.5"	Milling of Bituminous Surface	SY	3,203
	1,647'	17.5'	4"	25.0 mm Bituminous Base	Ton	769
	1,647'	17.5'	1.5"	9.5 mm wearing course	Ton	289
<u>West Lockhart Street – West Bound Lane</u> From: Hopkins St. To: Keystone Ave	525'	13.5'	5.5"	Milling of Bituminous Surface	SY	788
	525'	13.5'	4"	25.0 mm Bituminous Base	Ton	189
	525'	13.5'	1.5"	9.5 mm wearing course	Ton	71
<u>Shepard Road – North Bound Lane</u> From: Cayuta St. To: Turning Lane	-'	-'	5.5"	Milling of Bituminous Surface	SY	181
	-'	-'	4"	25.0 mm Bituminous Base	Ton	44
	-'	-'	1.5"	9.5 mm wearing course	Ton	17
<u>Shepard Road</u> From: Cayuta St. To: 23' S. of Fordham St.	566'	22'	5.5"	Milling of Bituminous Surface	SY	1384
	566'	22'	4"	25.0 mm Bituminous Base	Ton	333
	566'	22'	1.5"	9.5 mm wearing course	Ton	125
<u>West Lochhart Street</u> From: Desmond St. To: 25' E. of Elmer Ave	271'	37'	2.0"	Milling of Bituminous Surface	SY	1115
	271'	37'	2.0"	9.5 mm wearing course	Ton	134
<u>South Elmer Avenue</u> From: W. Packer Ave To: Park Place	178'	38'	2.0"	Roadway Milling	SY	752
	178'	38'	2.0"	9.5 mm wearing course	Ton	91
<u>South Elmer Avenue</u> From: Park Place To: Hayden St.	354'	24'	2.0"	Roadway Milling	SY	944
	354'	24'	2.0"	9.5 mm wearing course	Ton	114

Alternate Bid

STREET / ROAD NAME	L	W	D	TYPE OF WORK	UNITS	QUANTITY
<u>West Lockhart Street – East Bound Lane</u> From: Wilbur Ave To: Hopkins St.	1,647'	17.5'	5.5"	Milling of Bituminous Surface	SY	3,203
	1,647'	17.5'	4"	25.0 mm Bituminous Base	Ton	769
	1,647'	17.5'	1.5"	9.5 mm wearing course	Ton	289
<u>West Lockhart Street – East Bound Lane</u> From: Hopkins St. To: Keystone Ave	525'	13.5'	5.5"	Milling of Bituminous Surface	SY	788
	525'	13.5'	4"	25.0 mm Bituminous Base	Ton	189
	525'	13.5'	1.5"	9.5 mm wearing course	Ton	71

ATTACHMENT # 1

DESCRIPTION OF WORK: Continued

Sayre Borough, Bradford County, PA

Milling of Bituminous Surface 2.0 inch Depths:

Mill the bituminous surface to a uniform surface 2.0 inch depths as required, for the full width of the roadway. Milled material to be removed and stockpiled or disposed of as directed by the municipality. Milling should provide a properly cross-sloped surface to maintain drainage throughout construction.

Roadway Milling 5.5 inch Depth:

Mill the roadway to a uniform surface 5.5 inch depth as required, for the full width of the roadway. Milled material to be removed and stockpiled or disposed of as directed by the municipality. Milling should provide a properly cross-sloped surface to maintain drainage throughout construction.

Paving:

Superpave Asphalt Mixture Design, 25.0 mm, PG 64-22, Bituminous Base Course 0.0 to 0.3 ESAL's, Furnish and place Bituminous Base Course material at finished compacted depth of 4" as directed across entire cross-section of roadways. Use full width paving equipment when possible to avoid joints in the finished pavement. Completed pavement should provide sufficient cross-slope (approximately 2.0%) to maintain positive drainage throughout construction.

Paving:

Superpave Asphalt Mixture Design, 9.5 mm, PG 64-22, Wearing Course 0.0 to 0.3 ESAL's, SRL-Any Furnish and place compacted bituminous wearing course material across entire cross-section of roadway at a uniform 1/2" depth for a scratch course followed by the placement and compaction of a bituminous wearing course material across entire cross-section of roadway at a uniform 1.0 to 1 1/2" inch depths as required, using full width paving equipment when possible to avoid joints in the finished pavement. Completed pavement should provide sufficient cross-slope (approximately 2.0%) to maintain positive drainage throughout construction.

Incidental to the above items is cleaning of roadway, milled paving notches, driveway tie-ins, tack coat on existing roadway and vertical faces as needed, longitudinal joints and transverse joints, sealing of joints, mobilization and traffic control according to publication 212, 213 and the MUTCD.

NOTES:

The contractor is responsible to insure that the proper material is provided by supplying:

1. A copy of an approved Penn DOT Bituminous Asphalt Mix Design a minimum of 5 working days prior to the start of the work.
2. The contractor will also supply the municipality with a Daily Bituminous Material Certification on a TR-465 or CS-4171, **supported by testing**, within 24 hours of placing the bituminous material for each day's placement.
3. Furnish all Certified Weigh Slips.

The municipality will withhold payments if all the above requirements are not met.

ESCALATOR CLAUSE: IS INCLUDED IN THIS CONTRACT.

Price Adjustment of Bituminous Material – Section 110.04

The contractor must also provide the municipality a copy of the price adjustment calculation prior to placing any material and a copy with the final invoice.

Special provision to this item is that the minimum 100 Ton asphalt cement is waived.

ATTACHMENT # 1

DESCRIPTION OF WORK: Continued
Sayre Borough, Bradford County, PA

All work must be completed in accordance with the current PADOT Pub. 408 Specifications and its supplements.

Special Provision:

- All work to be completed by September 30, 2014 or liquidated damages will be assessed.
- Sayre Borough has the option to choose the base bid or base bid plus alternate bid.
- Sayre Borough reserves the right to reject any and all bids.
- Prevailing wages apply to this contract, see attached wage rates.
- Bidder acknowledges that this bid is for a public works contract and bidder is therefore subject to the provisions, duties, obligations and penalties of the Public Works Employment Verification Act, 43 P.S. 167.1-167.11, which is incorporated herein by reference.
- The lowest responsible bidder must comply with the Public Works Employment Verification Act by submitting a Commonwealth Public Works Employment Verification Form to the public body prior to award of contract. The Form and relevant information can be found on the Department of General Services' web site at www.dgs.state.pa.us.
- The above mentioned verification form is supplied with the contract documents.

Sayre Borough, Bradford County

- Sayre Borough has the option to choose the base bid or base bid plus alternate bid.

Base Bid Schedule of Prices					
Item No.	Quantity	Unit	Description of Work	Unit Price	Total
1	2,811	SY	Milling of Bituminous Surface 2.0 inch Depths		
2	5,856	SY	Roadway Milling 5.5 inch Depths		
3	1,407	Ton	Superpave Asphalt Mixture Design, 25.0 mm, PG 64-22, Base Course 0.0 to 0.3 ESAL's , 4.0 inch depth		
4	868	Ton	Superpave Asphalt Mixture Design, 9.5 mm, PG 64-22, Wearing Course 0.0 to 0.3 ESAL's ,SRL Any 1.5 to 2.0 inch depth		
5	1	LS	Escalator Clause: Price Adjustment Of Bituminous Materials IB = \$597.00/Ton July 2014, District 3-0	N/A	N/A
Total Amount Base Bid of Contract					

Sayre Borough, Bradford County

- Sayre Borough has the option to choose the base bid or base bid plus alternate bid.

Alternate Bid Schedule of Prices					
Item No.	Quantity	Unit	Description of Work	Unit Price	Total
1	3,991	SY	Roadway Milling 5.5 inch Depths		
2	958	Ton	Superpave Asphalt Mixture Design, 25.0 mm, PG 64-22, Base Course 0.0 to 0.3 ESAL's , 4.0 inch depth		
3	360	Ton	Superpave Asphalt Mixture Design, 9.5 mm, PG 64-22, Wearing Course 0.0 to 0.3 ESAL's ,SRL Any 1.5" in depth		
4	1	LS	Asphalt Price Adjustment of Bituminous Materials IB = \$597.00/Ton July 2014, District 3-0	N/A	N/A
Total Amount Alternate Bid of Contract					

ATTACHMENT # 1

DESCRIPTION OF WORK: Continued
Sayre Borough, Bradford County, PA

Sayre Borough, Bradford County

Location of Work	Total Amounts
Base Bid	
Base Bid + Alternate	

MS-944 PROPOSAL AND CONTRACT INSTRUCTIONS – FORM 944

1. The proposal must be typewritten or printed.
2. If more than one proposal on any project is submitted by any individual, firm or partnership, corporation or association under the same names, only one lowest proposal will be considered.
3. Description of work-----
 - A. If additional space is needed, insert appropriately numbered attachment and note “Continued on Attachment No. _____.”
 - B. Where Binder Surfaces are a part of this Contract, Average Daily Traffic (ADT) Count must be included in the description.
4. Part A of Page 1 to be completed by municipality. Part B of Page 1 to be completed by contractor. Schedule of Prices – Column #1 (Item), #2 (Approximate Quantities), #3 (Unit, i.e., ton, square yard, linear feet, etc.) and #4 (Description, i.e., bituminous materials – ID-2, FJ1, FB1, BCBC, etc.) must be filled in by the municipality to insure equitable bidding. Column #5 (Unit Price), #6 (Total), and total amount of bid must be filled in by the contractor. If more space is needed, add note at bottom of the page: Continued on Attachment No. 1-A,” and add additional sheet designated as Attachment No. 1-A, 1-B, etc. Repeat for each additional sheet required.
5. If liquidated damages are to be assessed, add the following sentence to Part A #2. “If all work is not completed on time, liquidated damages will be assessed at the rate of \$ 870.00 per additional working day.” (OR”...as set forth in the attached schedule.”)
6. Payment and Performance bonds are provided only by the successful bidder. Contracts under \$5,000 – bonds must be in 50% of the contract amount. Contracts in excess of \$5,000 – bonds must be in 100% of the contract amount. Bond Form MS-944 Attachments 2 and 3 and Workmen’s Compensation Affidavit Attachment 4 must be submitted by the successful bidder within 20 days of the contract award. Failure to submit the bonds shall constitute grounds to cancel the contract.
7. *Construction projects, where the estimated cost of the total project exceeds \$100,000.00 are subject to the provisions of the Pennsylvania Prevailing Wage Act 442. It is the responsibility of the municipality to obtain the Prevailing Wage Scale for the area and include it in the proposal. IF the Prevailing Wage Act applies, this fact shall be noted in the advertisement.

On projects utilizing Federal revenue Sharing Funds, if the project cost exceeds \$2,000 and is financed with 25% or more Federal Revenue Sharing Funds, the Davis Bacon Act applies. Again it is the responsibility of the municipality to obtain the Davis Bacon Wage Rates, include them in the proposal and note the fact in the advertisement. If both Acts are applicable, the Davis Bacon Act has preference over the Pennsylvania Prevailing Wage Act.
8. An ESCALATOR CLAUSE is optional; if used, it must be included in the proposal prepared by the municipality. An escalator clause may not be inserted by the contractor.

*(1961, Aug. 15, P.L. 987; 43 P.S. 165)

PERFORMANCE BOND
(With Corporate Surety)

KNOW ALL MEN BY THESE PRESENTS, that we, _____
(NAME AND ADDRESS OF CONTRACTOR)

as Principal and _____
(SURETY COMPANY)

a corporation incorporated under the laws of the State of _____ as Surety
(NAME OF STATE)

are held and firmly bound unto _____ . In the full and just sum
of _____ (\$ _____) dollars

lawful money of the United States of America, to be paid to the above Municipality or its assigns, to which payment well
and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and
severally, firmly by these presents.

WHEREAS, the above bouden Principal has entered into a contract with the above Municipality, bearing even
date herewith, for the undertaking of certain obligations as therein set forth.

NOW, THEREFORE, the condition of this obligations such that if the bounden Principal, as Contractor, shall in
all respects comply with and faithfully perform the terms and conditions of said Contract, including the Specifications and
conditions referred to and made a part thereof, and such alterations as may be made in said Specifications as therein
provided, and shall well and truly, and in a manner satisfactory to the Municipality fulfill all obligations as therein set
forth, then this Obligation shall be void, but otherwise the same shall be and remain in full force, virtue and effect.

It is further provided that any alteration which may be made in the terms of the contract or its specifications with
the express approval of the Municipality or the Principal to the other, shall not in any way release the Principal and Surety
or either or any of them, their heirs, executors, administrators, successors or assigns from their liability hereunder, notice
to the Surety of any such alteration or forbearance being hereby waived.

IN WITNESS WHEREOF, the said Principal and Surety have duly executed this Bond under Seal, pursuant to
due and legal action authorizing the same to be done on _____
(DATE OF BOND)




Attest / Witness

CONTRACTOR

TITLE

BY: _____
TITLE



Attest / Witness

SURETY COMPANY

TITLE

BY: _____
TITLE

KNOW ALL MEN BY THESE PRESENTS, that we, _____

of _____, as PRINCIPAL and _____

corporation incorporated under the laws of the State of _____ as SURETY, are

held and firmly bond unto the _____, in the full and just sum of

_____ (\$ _____) dollars, lawful money of the United

States of America, to be paid to the said _____ or its assigns, to which payment well and true to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the above bounden Principal has entered into a contract with the above municipality, hereinafter called Obligee, bearing even date herewith, for the improvement of a certain section of highway or bridge in said Municipality consisting of: _____

for approximately the sum of _____ (\$ _____) dollars.

NOW, THEREFORE, the condition of this obligation is such that if the above bounden PRINCIPAL shall and will promptly pay or cause to be paid in full all sums of money which may be due to contract or otherwise, to any individual, firm, partnership, association or corporation, for all material furnished or labor supplied or performed in the prosecution of the work, whether or not the said material or labor entered into and became component parts of the work and for rental of the equipment used and services rendered by public utilities in, or in connection with the prosecution of such work, then this obligation to be void, otherwise to remain in full force and effect.

The PRINCIPAL and SURETY, hereby, jointly and severally, agree with the Obligee herein that any individual firm, partnership, association or corporation, which has performed labor or furnished material in the prosecution of the work as provided, and any public utility which has not been paid in full therefor, may sue in assumpsit on this Payment Bond in his, their, or its own name and may prosecute the same to final for such sum or sums as may be justly due him, them or it, and have execution thereon. Provided, however, that the Obligee shall not be liable for the payment of any costs of expenses of such suit.

RECOVERY by any individual, firm, partnership, association or corporation hereunder shall be subject to the provisions of the "Public Works Contractors' Bond Law of 1967", Act No. 385, approved December 20, 1967, P.L. 869, which Act shall be incorporated herein and made a part hereof, as fully and completely as though its provisions were fully and at length herein recited.

It is further provided that any alterations which may be made in the terms of the contract or in the work to be done or materials to be furnished or labor to be supplied or performed under it or the giving by the Obligee of any extension of time for the performance of the contract or any other forbearance on the part of either the Obligee or the Principal to the other, shall not in any way release the PRINCIPAL and the SURETY or SURETIES of any such alteration, extension of forbearance being hereby waived.

IN WITNESS WHEREOF, the said PRINCIPAL and SURETY have duly executed this Bond under seal this _____ Day of _____, 20 _____.



WITNESS

CONTRACTOR

BY: _____

TITLE

TITLE



WITNESS

SURETY COMPANY

BY: _____

TITLE

TITLE

ANTI-COLLUSION AFFIDAVIT



County _____

Municipality _____

Project Number _____

Fed. Project No. _____

(If Applicable)

State of _____

County of _____

The undersigned deponent deposes and says that he is the _____

of the _____ Company; that he is authorized to make this

affidavit on behalf of said company in compliance with section 102.06 (e) of Department Specifications,

Publication 408, as amended and that the said company has not, either directly or indirectly, entered

into any agreement, participated in any collusion, or otherwise taken any action in restraint of free

competitive bidding in connection with such contract.

(Contractor)

BY

Sworn to and subscribed before me the undersigned notary public this

_____ day of _____ , _____ .

Notary Public

My Commission expires _____



_____ MUNICIPALITY

NOTICE OF COMPLETION

IN REFERENCE TO PROJECT # _____

Name of Contractor _____

Performance of work as specified on the above numbered contract is completed and final pavement inspection has been made by the contractor and municipality in accordance with the terms of the contract awarded.

DATE OF AWARD _____

Signature of Municipality

Signature of Contractor

Both copies of this form to be filled by the Contractor-Municipality on completion of final pavement restoration.

THIS PORTION TO BE COMPLETED BY MUNICIPALITY

FINAL COMPLETION CERTIFICATE

By the affixing of my signature I hereby certify that final inspection has been made and all work has been performed in accordance with the above contract # and is hereby accepted by the municipality as completed.

Authorized Agent for the Municipality

*DATE _____

*** The contractor is responsible for maintenance of permanent pavement repairs for a period of one year from this date.**



COMMONWEALTH OF PENNSYLVANIA

PUBLIC WORKS EMPLOYMENT VERIFICATION FORM

Date _____

Business or Organization Name (Employer) _____

Address _____

City _____ State _____ Zip Code _____

Contractor Subcontractor (check one)

Contracting Public Body _____

Contract/Project No _____

Project Description _____

Project Location _____

As a contractor/subcontractor for the above referenced public works contract, I hereby affirm that as of the above date, our company is in compliance with the Public Works Employment Verification Act('the Act') through utilization of the federal E-Verify Program (EVP) operated by the United States Department of Homeland Security. To the best of my/our knowledge, all employees hired post January 1, 2013 are authorized to work in the United States.

It is also agreed to that all public works contractors/subcontractors will utilize the federal EVP to verify the employment eligibility of each new hire within five (5) business days of the employee start date throughout the duration of the public works contract. Documentation confirming the use of the federal EVP upon each new hire shall be maintained in the event of an investigation or audit.

I, _____, authorized representative of the company above, attest that the information contained in this verification form is true and correct and understand that the submission of false or misleading information in connection with the above verification shall be subject to sanctions provided by law.

Authorized Representative Signature